	GOCCOPRO QS2536	GOCCOPRO QS1836
Screen making method	High-speed digital screen making	High-speed digital screen making
Screen frame size (Outer dimensions) (width x length)	Minimum 590 mm x 310 mm (23.23" x 12.20") with a frame thickness of 30 mm (1.18") Maximum 635 mm x 914 mm (25.00" x 36.00")	Minimum 440mm x 310mm (17.32" x 12.20") with a frame thickness of 20mm (0.79") Maximum 635mm x 914mm (25.00" x 36.00") (Using with the screen frame retainer plates) 635mm x 922mm (25.00" x 36.30") (Using without the screen frame retainer plates)
Screen frame thickness	20 mm to 45 mm (0.79" to 1.77")	20 mm to 45 mm (0.79" to 1.77")
Image area size (width x length)	Minimum 10 mm x 10 mm (0.39" x 0.39") Maximum 457 mm x 759 mm (17.99" x 29.88") with a frame thickness of 20 mm (0.79") 455 mm x 734 mm (17.91" x 28.90") with a frame thickness of 45 mm (1.77")	Minimum 10 mm x 10 mm (0.39" x 0.39") Maximum 350 mm x 759 mm (13.78" x 29.88") with a frame thickness of 20 mm (0.79") 350 mm x 734 mm (13.78" x 28.90") with a frame thickness of 45 mm (1.77")
Screen making time	Approx. 200 sec. Image length 594mm (23.39")	Approx. 200 sec. Image length 594mm (23.39")
Resolution	600 dpi x 1,200 dpi (perforation density: 1,200 dpi)	600 dpi x 1,200 dpi (perforation density: 1,200 dpi)
Memory capacity	128MB	128MB
Supported OS	Microsoft® Windows® macOS *For the latest infomation,please refer to the following link; https://www.riso.co.jp/english/product/digitalscreenmaker/goccopro/qs 2536/spec.html	Microsoft Windows macOS *For the latest infomation, please refer to the following link; https://www.riso.co.jp/english/product/digitalscreenmaker/goccopro/qs 1836/spec.html
Network interface	USB 2.0	USB 2.0
Power source	AC 100 - 240 V, 50 - 60 Hz, 3.6 - 1.4 A	AC 100 - 240 V, 50 - 60 Hz, 3.6 - 1.4 A
Power consumption	Maximum: 300W When standing by: 50W or lower	Maximum: 300W When standing by: 50W or lower
Operating environment	Temperature: 15°C to 30°C / 59F to 86F	Temperature: 15°C to 30°C / 59F to 86F
Dimensions (W x D x H)	During use: 1,215 mm x 800 mm x 410 mm (47.83" x 31.50" x 16.14")	During use: 1,215 mm x 800 mm x 410 mm (47.83" x 31.50" x 16.14")
Required space (W x D x H)	1,230 mm x 800 mm x 480 mm (48.43" x 31.50" x 18.90")	1,230 mm x 800 mm x 480 mm (48.43" x 31.50" x 18.90")
Weight	Approx. 71 kg (157 lb.)	Approx. 70 kg (154 lb.)

PostScript® supported! WASATCH SoftRIP for professional use.

Using WASATCH SoftRIP enables color drafts created with Adobe Illustrator®, Photoshop® or other design software and incorporating spot colors to be color separated with RIP so that screen making data can be easily created.



affiliates. •Other corporate names and/or trademarks are either registered trademarks or trademarks of each company, respectively Copyright ©2022 RISO KAGAKU CORPORATION. All rights reserved.

Accurate Registration and Precise Image Quality

- · Precise registration enables full and multi-color printing
- Capable of reproducing fine gradations with a 1,200 dpi perforation density

Suitable for A3 size image

- Perfect size for using 565-mm width screen master
- · Applicable to table screen printers





W/H: H2-006

Sharjah Airport International Free Zone **United Arab Emirates**

+971 6 557 99 29

www.texgraff.com



The Next-Generation Digital Screen Maker

GOCCOPRO QS2536 QS1836

A revolution in the screen-making process using the power of digital



Advanced Professional

QS2536/QS1836







Mac





Precise image quality and accurate registration utilizing the special thermal print head of 1,200dpi perforation density.

The special thermal head has an applied energy equivalent to 600dpi that excels in solid printing, and a 1,200dpi perforation density for detailed work. Using a high mesh count screen master, fine gradations in printing become possible. Comes with a line up of screen masters for various applications.



RISO Dry Thermal Screen Making System - The New Screen Printing Standard -RISO Dry Thermal Screen Making System is a CTS* system with a thermal head that heat-perforates a screen master of mesh laminated with film. Enables low-cost, speedy screen making even for sample and small-lot production, and across a wide range of jobs, from multi-color T-shirts to name plates. \ Quick / Screen making process Screen **Environmentally GOCCOPRO QS2536** aware Less electricity consumed.

Screen making process **Conventional Method**

No waste water generated. Powder coated body. No use of solvents

Two models are available depending on image size

QS2536




Suitable for A2 size image

The flagship model of the QS series with maximum image size

Supporting large frames that can be applied on automatic T-shirt screen presses*1

Applicable to automatic T-shirt screen presses*1





Versatile usage not only for garment printing but much more

Achieves high image quality printing for various applications such as plates and stickers in combination with a high mesh count



*1 Depending on the specifications and printing conditions of the automatic T-shirt screen presses, it may not be usable

QS1836

Suitable for A3 size image

Perfect size for using 565mm width screen master


Corresponds to narrow frames resulting in lower screen master cost


Applicable to automatic T-shirt screen presses*1 and table screen printers

Enable to use both standard frames and frames for table screen printing with their registration parts. Changing the setting of the frame guide, it enables to set a frame with the registration parts on and to make a screen. Compatible with various printing methods.

the registration parts







*1 Depending on the specifications and printing conditions of the automatic T-shirt screen presses, it may not be usable